mTOR

Mammalian target of rapamycin (mTOR) is a highly conserved serine/threonine kinase that controls cell growth and metabolism in response to nutrients, growth factors, cellular energy and stress and which is conserved in all eukaryotes. TOR may be found in two functionally unique multiprotein complexes, TORC1 and TORC2. Mammalian TORC1 (mTORC1) is rapamycin sensitive and mediates temporal control of cell growth. mTORC2 is rapamycin insensitive and mediates spatial control of cell growth by regulating the actin cytoskeleton. Dysregulation of TOR complex activity is associated with diseases such as cancer, diabetes, neurodegeneration as well as aging. Thus, mTOR holds much therapeutic promise. The biochemical tools below will facilitate further advances in this growing field.¹

MHY1485

An mTOR activator.² Suppresses autophagy by inhibiting fusion of autophagosomes with lysosomes leading to accumulation of enlarged autophagosomes.²

Product No: 10-1604 5 mg/ 25 mg/

AZD8055

Potent ATP-competitive inhibitor of mTOR kinase (IC₅₀=0.8 nM) and dual mTORC1/2 inhibitor.³

Product No: 10-4816 10 mg/ 50 mg/

INK-128

Potent ATP-competitive inhibitor of mTOR (IC₅₀=1 nM) and dual mTORC1/2 inhibitor.⁴ Inhibits angiogenesis and tumor growth in xenograft models.⁵

Product No: 10-3362 5 mg/ 25 mg/

NVP-BEZ235

A dual ATP-competitive PI3K/mTOR kinase inhibitor. Blocks VEGF-induced proliferation and angiogenesis.⁶

Product No: 10-2153 10 mg/ 50 mg/

PP242

An ATP-competitive mTOR inhibitor, inhibiting mTORC1 more effectively than rapamycin.⁷

Product No: 10-2695 5 mg/ 25 mg/

Rapamycin

The classic macrolide mTOR inhibitor. Immunosuppressant. Extends lifespan in mouse models.⁸ Induces autophagy.⁹ Complex with FKBP12 inhibits mTOR.¹⁰

Product No: 10-1104 10 mg/ 50 mg/

Temsirolimus

Analog of rapamycin. Displays antiangiogenic effects. 11 Anticancer agent. 12

Product No: 10-3261 5 mg/ 25 mg/

Torin 1

An ATP-competitive mTOR kinase inhibitor which inhibits mTORC1/2 with IC $_{50}$ s in the range of 1-10 nM. Acts via rapamycin-resistant functions of mTORC1. 13

Product No: 10-3013 5 mg/ 25 mg/

Everolimus

Semi-synthetic analog of rapamycin with potent immunosuppressive activity. 14


Product No: 10-2136 5 mg/ 25 mg/

PI-103

Potent inhibitor of PI-3 kinase, mTOR, and DNA-PK. 15,16

Product No: 10-5406 5 mg/ 25 mg/





Rapamycin

REFERENCES

- 1. Antikainen et al. (2017) Aging Cell 16 1219
- 2. Choy (2012) PLoS One 7(8) e43418
- 3. Chresta et al. (2010) Cancer Res. 70 288
- 4. Hiseh et al. (2012) Nature 485 55
- Gokmen-Polar et al. (2012) Breast Cancer Res. Treat. 136 673
- 6. Maira et al. (2008) Mol. Cancer Ther. 7 1851
- 7. Feldman et al. (2009) PLoS Biol. 7 371
- 8. Harrison et al. (2009) Nature 460 392
- 9. Flemming et al. (2011) Nat. Chem. Biol. 7 9
- 10. Huang et al. (2003) Cancer Biol. Ther. 2 222
- 11. Del Bufalo et al. (2006) Cancer Res. 66 5549
- 12. Teachy et al. (2006) Blood **107** 1149
- 13. Thoreen et al. (2009) J. Biol. Chem 284 8023
- 14. Schuurman et al. (1997) Transplantation 64 32
- 15. Knight et al. (2006) Cell 125 733
- 16. Raynaud et al. (2007) Cancer Res. 67 5840

400 Davis Dr. Suite 600 Plymouth Meeting, PA 19462 610-994-1134 sales@focusbiomolecules.com focusbiomolecules.com