

Catalog # 10-1010 Pioglitazone HCI

CAS# 112529-15-4

5-[[4-[2-(5-Ethyl-2-pyridinyl)ethoxy]phenyl]methyl]-2,4-thiazolidinedione hydrochloride Lot # X104020

Pioglitazone is a clinically useful antidiabetic drug. It is a selective agonist of the human peroxisome proliferator-activated receptor γ 1(PPAR γ 1; EC $_{50}$ = 490 nM 2 , 550nM 3) with weak agonist activity at PPAR α and no activity at PPAR δ . Inhibits mitochondrial pyruvate metabolism and glucose production in hepatocytes. Suppresses production of inflammatory cytokines and shows antidepressant-like activity in mouse models.

- 1) Merck 14:7452
- 2) Sakamoto et al. (2000), Activation of human peroxisome proliferator-activated receptor (PPAR) subtypes by pioglitazone; Biochem. Biophys. Res. Commun., **278** 704
- 3) Wilson et al. (2000), The PPARs: From Orphan Receptors to Drug Discovery; J. Med. Chem., 43 527
- 4) Shannon et al. (2017), Pioglitazone Inhibits Mitochondrial Pyruvate Metabolism and Glucose Production in Hepatocytes; FEBS J., **284** 451
- 5) Zhao et al. (2016), The Antidepressant-Like Effects of Pioglitazone in a Chronic Mild Stress Mouse Model Are Associated With PPARγ-Mediated Alteration of Microglial Activation Phenotypes; Neuroinflamm., **13** 259

PHYSICAL DATA

Molecular Weight: 392.90

Molecular Formula: C₁₉H₂₀N₂O₃S·HCl Purity: 98% by TLC NMR: (Conforms)

Solubility: DMSO(at least 25 mg/mL)

Physical Description: White solid

Storage and Stability: Store as supplied at room temperature for up to 1 year from the date of purchase.

Solutions in DMSO may be stored at -20°C for up to 3 months.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.