

## Catalog # 10-1539 ISRIB

CAS# 1597403-47-8

*N,N'-trans*-1,4-Cyclohexanediylbis[2-(4-chlorophenoxy)acetamide] Lot # X106124

Integrated stress response inhibitor. Potently reverses the effects of initiation factor  $2\alpha$  (eIF2 $\alpha$ ) phosphorylation, IC<sub>50</sub>=5 nM.<sup>1</sup> Enhances spatial and fear-associated learning in mice and enhances cognitive function.<sup>1,2</sup> Mechanism of action involves activation of eiF2 $\beta$ .<sup>3</sup> Suppresses ER stress-induced inflammatory gene expression.<sup>4</sup> Potently attenuates amyloid  $\beta$ -induced neuronal cell death (12.5-25 nM) with no effect on amyloid  $\beta$  production.<sup>5</sup> Reverses hippocampal-dependent cognitive deficits induced by traumatic brain injury in two different injury mouse models.<sup>6</sup>

- 1) Sidrauski et al. (2013) Pharmacological brake-release of mRNA translation enhances cognitive memory; Elife 2 e00498
- 2) Sekine et al. (2015), Stress responses. Mutations in a translation initiation factor identify the target of a memory-enhancing compound; Science 348 1027
- 3) Sidrauski et al. (2015) Pharmacological dimerization and activation of the exchange factor eIF2B antagonizes the integrated stress response; Elife 4 e07314
- 4) Guthrie et al. (2016) Attenuation of PKR-like ER kinase (PERK) Signaling Selectively Controls Endoplasmic Reticulum Stress-induced Inflammation Without Compromising Immunological Responses; J.Biol.Chem. **291** 15830
- Hosoi et al. (2016) Unique pharmacological property of ISRIB in inhibition of Aβ-induced neuronal cell death; J.Pharmacol.Sci.
   131 292
- Chou et al. (2017Inhibition of the integrated stress response reverses cognitive effects after traumatic brain injury; Proc.Natl.Acad.Sci.USA 114 E6420

## **PHYSICAL DATA**

Molecular Weight: 451.35

Molecular Formula: C<sub>22</sub>H<sub>24</sub>Cl<sub>2</sub>N<sub>2</sub>O<sub>4</sub>
Purity: >98% by TLC

NMR: Conforms

Solubility: DMSO (5 mg/ml with warming)

Physical Description: White solid

Storage and Stability: Store as supplied at -20°C for up to 2 years from the date of purchase. Solutions in

DMSO may be stored at -20°C for up to 1 month.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.