

## Catalog # 10-1558 UNC2170

CAS# 1648707-58-7
3-Bromo-N-(3-(tert-butylamino)propyl)benzamide, hydrochloride
Lot # S102103

The DNA damage response protein 53BP1 utilizes its tandem tudor domain to recognize dimethylated lysine 20 on histone (H4K20me2), a modification associated with double-strand DNA breaks. UNC-2170, identified by screening, was found to be a  $\mu$ M ligand for 53BP1 which also demonstrated at least 17-fold selectivity for 53BP1 over other methyl-lysine binding proteins. The compound functions as a 53BP1 antagonist in cell lysates and suppresses class switch recombination in whole cells, a process requiring a functioning 53BP1 tudor domain.<sup>1</sup>

1) Perfetti et al. (2015), Identification of a fragment-like small molecule ligand for the methyl-lysine binding protein 53BP1; ACS Chem. Biol., **10** 1072

## PHYSICAL DATA

Molecular Weight: 349.69

Molecular Formula:  $C_{14}H_{21}BrN_2O \bullet HCI$ Purity: 98% by TLC

NMR: (Conforms)

Solubility: DMSO (up to 40 mg/ml), or Water (up to 50 mg/ml)

Physical Description: White solid

Storage and Stability: Store as supplied, desiccated at -20°C for up to 1 year from the date of purchase. Solutions in

DMSO or distilled water may be stored at -20°C for up to 3 months.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.