

Catalog # 10-2687 Benzamidine HCI

CAS# 1670-14-0 Amidinobenzene hydrochloride Lot # X101313

Reversible inhibitor of trypsin and trypsin-like enzymes and other serine proteases.¹⁻³ Concentration used for general protease inhibition is 1 mM. Also a competitive inhibitor of thrombin and plasmin. May be added to blood samples to prevent proteolytic degradation of various peptide analytes such as glucagon⁴ and TRH⁵.

- 1) Markwardt et al. (1968) Comparative studies on the inhibition of trypsin, plasmin, and thrombin by derivatives of benzylamine and benzamide; Eur. J. Biochem., **6** 502
- 2) Deutscher et al. (1990), Maintaining protein stability; Methods Enzymol., 182 83
- 3) Jaswinski et al. (1990), Preparations of extracts from yeast, Methods Enzymol., 182 154
- 4) Ensinck et al. (1972), Use of Benamidine as a proteolytic inhibitor in the radioimmunoassay of glucagon in plasma; J. Clin. Endocrinol. Metab., **35** 463
- 5) Jeffcoate et al. (1974), Use of benzamide to prevent the destruction of thyrotropin-release hormone (TRH) by blood; Endocrinol. Metab, **38** 155

PHYSICAL DATA

Molecular Weight: 156.61

Molecular Formula: $C_7H_8N_2 \cdot HCI$ Purity: 97% by TLC

NMR: (Conforms)

Solubility: Water (up to 50 mg/ml with warming)

Physical Description: White solid

Storage and Stability: Store as supplied desiccated at ambient temperature for up to 2 years from the date of purchase.

Sensitive to oxidation when exposed to air. Make fresh solutions daily. Do not store the

compound in solution.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.