

Catalog # 10-2746 Cereulide

CAS# 157232-64-9
Natural product from *Bacillus cereus*Lot # X107393

An emetic toxin produced by *Bacillus cereus*. Acts as an ionophore with high selectivity for K⁺. Stimulates swelling and respiration in rat liver mitochondria.¹ It is a lipophilic cyclopeptide and is rapidly absorbed in the gut and transported into the bloodstream. The causative agent in various forms of gastroenteritic disease associated with food poisoning.²

WARNING: Exercise caution when handling and using this compound. Avoid exposure.

- 1) Mikkola et al. (1999), lonophoretic properties and mitochondrial effects of cereulide: the emetic toxin of B. cereus; Eur. J. Biochem., **263** 112
- 2) Ehling-Schulz et al. (2004), Bacillus cereus, the causative agent of an emetic type of food-borne illness; Mol. Nutri., **48** 479

PHYSICAL DATA

Molecular Weight: 1153.40 Molecular Formula: $C_{57}H_{96}N_6O_{18}$ Purity: 98% by HPLC

Solubility: Soluble in DMSO, Ethanol

Physical Description: Supplied in solution in methanol (25 µg/500µl)

Storage and Stability: Store as supplied at -20°C for up to 1 year from the date of purchase.

Diluted solutions in DMSO or ethanol may be stored at -20°C for up to 3 months.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.