

Catalog # 10-3148 NSC59984

CAS# 803647-40-7
(E)-1-(4-Methylpiperazin-1-yl)-3-(5-nitrofuran-2-yl)prop-2-en-1-one
Lot # S103080

p53 activator. Restores wild-type p53 signaling and depletes mutant p53 gain of function. Induces mutant p53 protein degradation via MDM2 and ubiquitin-proteasome pathway. Induces p73-dependent cell death in cancer cells without toxicity toward normal cells.¹ Inhibition of p53-MDM2 interaction remains a viable strategy for cancer therapeutic development.^{2,3}

- 1) Zhang et al. (2015), Small-Molecule NSC59984 Restores p53 Pathway Signaling and Antitumor effects against Colorectal Cancer via p73 Activation and Degradation of Mutant p53; Cancer Res., **75** 3842
- 2) Ferraiuolo et al. (2016), Oncogenic Intra-p53 Family Member Interactions in Human Cancers; Front. Oncol., 6 77
- 3) Hong et al. (2014), Targeting tumor suppressor p53 for cancer therapy: strategies, challenges and opportunities; Curr. Drug Targets, **15** 80

PHYSICAL DATA

Molecular Weight: 265.27

NMR: (Conforms)

Soluble in DMSO (up to 20 mg/ml)

Physical Description: Off-white solid

Storage and Stability: Store as supplied desiccated at -20°C for up to 1 year from the date of purchase.

Solutions in DMSO may be stored at -20°C for up to 1 month.

Materials provided by Focus Biomolecules are for laboratory research use only and are not intended for human or veterinary applications.

Focus Biomolecules LLC 400 Davis Drive, Suite 600 Plymouth Meeting PA 19462 www.focusbiomolecules.com